Application No.:09/319,204 Attorney Docket No. 5725.0398-00

phenylenediamine, 2-isopropyl-para-phenylenediamine, N-( $\beta$ -hydroxypropyl)-para-phenylenediamine, 2-hydroxymethyl-para-phenylenediamine, N,N-dimethyl-3-methyl-para-phenylenediamine, N,N-(ethyl- $\beta$ -hydroxyethyl)-para-phenylenediamine, N-( $\beta$ , $\gamma$ -dihydroxypropyl)-para-phenylenediamine, N-(4'-aminophenyl)-para-phenylenediamine, N-phenyl-para-phenylenediamine, 2- $\beta$ -hydroxyethyloxy-para-phenylenediamine, 2- $\beta$ -acetylaminoethyloxy-para-phenylenediamine, N-( $\beta$ -methoxyethyl)-para-phenylenediamine, and acid-addition salts thereof,

double bases chosen from: N,N'-bis-(β-hydroxyethyl)-N,N'-bis(4'-amino-phenyl)-1,3-diaminopropanol, N,N'-bis(β-hydroxyethyl)-N,N'-bis(4'-aminophenyl)ethylenediamine, N,N'-bis-(4-aminophenyl)tetramethylenediamine, N,N'-bis(β-hydroxyethyl)-N,N'-bis(4-aminophenyl)tetramethylenediamine, N,N'-bis(4-methylaminophenyl)tetramethylenediamine, N,N'-bis-(ethyl)-N,N'-bis(4'-amino-3'-methylphenyl)ethylenediamine, 1,8-bis(2,5-diaminophenoxy)-3,5-dioxaoctane, and acidaddition salts thereof,

ortho-aminophenols chosen from: 2-amino-5-methylphenol, 2-amino-6-methylphenol, 5-acetamido-2-aminophenol, and acid-addition salts thereof,

pyridine compounds;

pyrimidine compounds;

pyrazole compounds; and

pyrazolopyrimidine compounds;

and addition salts thereof and the tautomeric forms thereof, when a tautomeric equilibrium exists;

North Cont.

FINNEGAN HENDERSON FARABOW GARRETT& DUNNER LLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com

Application No.:09/319,204 Attorney Docket No. 5725.0398-00

- at least one second oxidation base chosen from para-aminophenols and acidaddition salts thereof;
- at least one coupler chosen from meta-aminophenols and acid-addition salts thereof;
- at least one enzyme chosen from 2-electron oxidoreductases, and
- at least one donor for said at least one enzyme.
- 78. (New) A ready-to-use composition according to claim 77, wherein said at least one 2-electron oxidoreductase is chosen from pyranose oxidases, glucose oxidases, glycerol oxidases, lactate oxidases, pyruvate oxidases and uricases.
- 79. (New) A ready-to-use composition according to claim 77, wherein said at least one 2-electron oxidoreductase is chosen from uricases of animal, microbiological and biotechnological origin.
- 80. (New) A ready-to-use composition according to claim 77, wherein said at least one 2-electron oxidoreductase is present in an amount ranging from 0.01 to 20% by weight relative to the total weight of the composition.
- 81. (New) A ready-to-use composition according to claim 80, wherein said at least one 2-electron oxidoreductase is present in an amount ranging from 0.1 to 5% by weight relative to the total weight of the composition.
- 82. (New) A ready-to-use composition according to claim 77, wherein said at least one donor for said at least one 2-electron oxidoreductase is chosen from D-glucose, L-sorbose, D-xylose, glycerol, dihydroxyacetone, lactic acid and its salts, pyruvic acid and its salts, and uric acid and its salts.

Nexta

FINNEGAN HENDERSON FARABOW GARRETT& DUNNER LLP

1300 l Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com

- 83. (New) A ready-to-use composition according to claim 82, wherein said at least one donor for said at least one 2-electron oxidoreductase is chosen from uric acid and its salts.
- 84. (New) A ready-to-use composition according to claim 77, wherein said at least one donor is present in an amount ranging from 0.01 to 20% by weight relative to the total weight of the composition.
- 85. (New) A ready-to-use composition according to claim 84, wherein said at least one donor is present in an amount ranging from 0.1 to 5% by weight relative to the total weight of the composition.
- 86. (New) A ready-to-use composition according to claim 77, wherein said at least one second oxidation base is present in an amount ranging from 0.0005 to 12% by weight relative to the total weight of the composition.
- 87. (New) A ready-to-use composition according to claim 86, wherein said at least one second oxidation base is present in an amount ranging from 0.005 to 6% by weight relative to the total weight of the composition.
- 88. (New) A ready-to-use composition according to claim 77, wherein said at least one coupler is chosen from meta-amino phenols of formula (III) below, and acid-addition salts thereof:

$$R_9$$
  $NHR_7$   $R_8$   $(III)$ 

in which:

Not I

FINNEGAN HENDERSON FARABOW GARRETT& DUNNER LLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com

Application No.:09/319,204 Attorney Docket No. 5725.0398-00

- R<sub>7</sub> is chosen from a hydrogen atom, C<sub>1</sub>-C<sub>4</sub> alkyl radicals, C<sub>1</sub>-C<sub>4</sub> monohydroxyalkyl radicals and C<sub>2</sub>-C<sub>4</sub> polyhydroxyalkyl radicals,
- R<sub>8</sub> is chosen from a hydrogen atom, C<sub>1</sub>-C<sub>4</sub> alkyl radicals, C<sub>1</sub>-C<sub>4</sub> alkoxy radicals and halogen atoms,
- R<sub>9</sub> is chosen from a hydrogen atom,  $C_1$ - $C_4$  alkyl radicals,  $C_1$ - $C_4$  alkoxy radicals,  $C_1$ - $C_4$  monohydroxyalkyl radicals,  $C_2$ - $C_4$  polyhydroxyalkyl radicals,  $C_1$ - $C_4$  monohydroxyalkoxy radicals, and  $C_2$ - $C_4$  polyhydroxyalkoxy radicals.
- 89. (New) A ready-to-use composition according to claim 88, wherein said at least one coupler of formula (III) is chosen from meta-aminophenol, 5-amino-2-methylphenol, 5-amino-2-( $\beta$ -hydroxyethyloxy)phenol, 5-amino-2-methylphenol, 5-N-( $\beta$ -hydroxyethyl)amino-4-methoxy-2-methylphenol, 5-amino-4-methoxy-2-methylphenol, 5-amino-4-methoxy-2-methylphenol, 5-amino-4-chloro-2-methylphenol, 5-amino-2,4-dimethoxyphenol, 5-( $\gamma$ -hydroxypropylamino)-2-methylphenol and acidaddition salts thereof.
- 90. (New) A ready-to-use composition according to claim 77, wherein said at least one coupler is present in an amount ranging from 0.0001 to 8% by weight relative to the total weight of the composition.
- 91. (New) A ready-to-use composition according to claim 90, wherein said at least one coupler is present in an amount ranging from 0.005 to 5% by weight relative to the total weight of the composition.
- 92. (New) A ready-to-use composition according to claim 77, wherein said at least one first oxidation base is present in an amount ranging from 0.0005 to 12% by weight relative to the total weight of the composition.

Rentd

FINNEGAN HENDERSON FARABOW GARRETT& DUNNER LLP

1300 l Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com

- 93. (New) A ready-to-use composition according to claim 92 wherein said at least one first oxidation base is present in an amount ranging from 0.005 to 6% by weight relative to the total weight of the composition.
- 94. (New) A ready-to-use composition according to claim 77, wherein said acidaddition salts are chosen from hydrochlorides, hydrobromides, sulphates, tartrates, lactates and acetates.
- 95. (New) A ready-to-use composition according to claim 77, wherein said composition further comprises water or a mixture of water and at least one organic solvent.
- 96. (New) A ready-to-use composition according to claim 77, wherein said composition has a pH ranging from 5 to 11.
- 97. (New) A ready-to-use composition according to claim 77, further comprising at least one peroxidase.

Lotte

FINNEGAN HENDERSON FARABOW GARRETT& DUNNER LLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com